with a uniform layer of a preparation of Sr^{90} and Y^{90} having an overall activity of 210 m-Curie. The activity was determined by means of an end-view counter by employing the method of Keirim-Markus and L'vova (Ref 1). The total radiation current was $I = 9.86 \times 10^{-10}$ A. The current I_B of the back scattering and the secondary emission can be determined from:

$$i = I - I_B \qquad (1)$$

where i is the current between the radiation source and the collector. The overall coefficient of the secondary emission and the back scattering is defined by:

$$\sigma = \frac{I_B}{I} 100\% \qquad (2) .$$

The current i can be determined from:

$$i \simeq UC/t \qquad (3)$$

where U is the voltage developed across the capacitor and the electrostatic voltmeter in Figure 1. The measurements were made at U = 100 V, the circuit time constant being of the order of 10^3 to 10^4 sec. The time necessary for the capacitor to reach 100 V was less than 25 sec; the error was therefore due primarily to the error in the measurement of time. The source was switched on by opening the key K (see Figure 1). During the intervals between the measurements, the collector and the radiation source were shorted, the interval being equal to 3 min. If the closing interval were shorter, the excess charges did not have time to leak away and the measurements were burdened with an error; this can be seen in Figure 2, which shows the dependence of the voltage across the capacitance on the switching-on time for various closing times. The measurements were carried out at a pressure of 10^{-4} mm Hg.

SOV/109-4-8-26/35

The Back Scattering and the Secondary Emission During the Irradiation of Various Materials by β-electrons

The results of the measurements can be briefly stated as follows. It was found that, over the pressure range from 2×10^{-3} to 5×10^{-7} mm Hg, the current i is substantially constant; this is seen in Figure 3. The dependence of the overall back scattering and secondary emission on the atomic number of a substance is illustrated in Figure 4; Curves 1 and 2 were obtained by the author by employing an end-view counter and the equipment shown in Figure 1; Curves 3 and 4 were taken from the work of Miller and Porter (Ref 5). From the figure, it is seen that the measurement by the direct method gives the values which are about 40% lower than those obtained by means of the counter. The author expresses his gratitude to Professor P.V. Timofeyev, who directed this work and to Ye.G. Kormakova for preparing the emitter of the secondary electrons. There are 5 figures and 8 references, of which 2 are Soviet and 6 English.

SUBMITTED: May 16, 1958

Card 4/4

SOV/89-6-4-12/27

21(1), 21(4)

AUTHORS: Timofeyev, P. V., Simchenko, Yu. A.

TITLE: Atomic Source of High Voltage (Atomnyy istochnik vysokogo napryazheniya)

PERIODICAL: Atomnaya energiya, 1959, Vol 6, Nr 4, pp 470-472 (USSR)

ABSTRACT: An atomic source is described which may be used in portable devices for the feeding of various tube circuits. Two glass cylinders are coaxially melted into a glass balloon, which are connected with each other by a metal ring. On the internal cylinder, the collector of the β-partilces is, on the one hand, fastened by means of an annular spring, and may, on the other hand, be centered by means of a mica ring. The collector consists of an external nickel- and an internal aluminum cylinder. Owing to this construction, the back scattering of the collector amounts to ~14% of the entire β-particle current impinging upon it. A nickel tube of only a few μ thickness is arranged coaxially to the collector; in its interior the preparation is uniformly applied. Current lead-out wires (positive: platinum wire-glass sealing, negative(collector): direct wire metal ring) end in normal cable caps such as are usual in counters. As a β-source Sr^{90}-Y^{90} with a

Card 1/2

total activity of ~ 343 mC is used. At a resistance of $1.6.10^{13}$ ohm (resistance of the source and of the electrostatic voltmeter S-96) the device furnishes a voltage of up to 24 kV . The time constant is $\sim 6.10^{2}$ sec. The utilization coefficient of β-radiation is ~76%. 14% are lost by back scattering. The remaining 10% of losses are due to absorption, slowing-down of electrons in the field emittor-collector, and to the fact that the solid angle concerned is smaller than 4π. The voltage-resistant characteristic of the atomic voltage source is given. By means of this source low capacities or high resistances (10^{11} to $1.5.10^{13}$ ohm) may be measured in certain wiring circuits. The life-time of the source is limited only by the half-life of the β-radiator. The properties of the source do not vary in the case of temperature fluctuations of from +50 to -50°C. Short circuits are not dangerous to the source. This atomic voltage source may be connected both parallel and in series. In radiocircuits it causes no noise. There are 3 figures and 12 references, 1 of which is Soviet.

SUBMITTED: May 31, 1958

9.3120 (1003, 1137, 1140)
9.4140 26.1640

S/109/60/005/008/001/024
E140/E555

AUTHORS: Timofeyev, P. V. and Simchenko, Yu. A.

TITLE: β-Electron Emission in Vacuum and its Applications

PERIODICAL: Radiotekhnika i elektronika, 1960, Vol. 5, No. 8, pp. 1197-1202

TEXT: The authors state that in electronics the applications of radioisotopes are limited to the experimental use of β and α-radiation for power supplies. At the end of the paper certain speculations are presented on the use of radioisotopes in cathodes. Popov's use of β-radiation to charge an electroscope in 1901 is claimed as the first practical utilization of charge transfer by nuclear particles. Mosely's 150 kV source of 1913 is also cited. The use of semiconductor or thermoelectric devices to convert β-radiation energy to electrical energy cannot find wide application because lattice defects form in the crystals and destroy their properties. The applications holding most promise are those in which differences of potential arise through the transfer in vacuum of β-particles and thus of electric charge from one electrode of a capacitor to another. The article presents a review

Card 1/4

S/109/60/005/008/001/024
E140/E553

β-Electron Emission in Vacuum and its Applications

of devices furnishing 10^{-9} to 10^{-8} A at 20 to 40 kV, as previously described in Ref.3 Among the known radioisotopes, the most suitable sources of β-radiation are Pm^{147} and Sr^{90} - Y^{90} As the latter give rise to hard X-rays in a nuclear generator, they necessitate large and heavy metal shields and are therefore inconvenient as miniature power supplies Pm^{147} has a maximum β-electron energy of 0.222 MeV and a mean β-spectral energy of about 75 keV, with a half-life of 2.3-2.7 years. The salt used for β-electron emitters can be outgassed at high temperatures in vacuum. The X-radiation is negligible The gas evolution during operation is also much more favourable for Pm^{147} A sectional drawing of a typical supply device is shown in Fig 2, where 1 is the β-electron source consisting of a nickel cylinder having a thin film of radioisotopes on its inner surface It is supported by glass 4 sealed to a copper cylinder 2 The collector 3 is of aluminium and is mounted inside the copper cylinder The assembly is in a metal housing 5 whose walls are of sufficient thickness to suppress the X-radiation The high-voltage lead 6 is

Card 2/4

S/109/60/005/008/001/024
E140/E555

β-Electron Emission in Vacuum and its Applications

insulated from the body. A typical curve of output voltage against load resistance is shown in Fig.4. Due to the exceedingly high stability of such sources, they may be used with such apparatus as image converters, photo-conductive television camera tubes, permitting operation at maximum ratings and efficiency. The emission of β-electrons can be utilized to establish a positively-charged surface. This could be employed with, for example, magnesium-oxide cathodes which give stable emission of up to 10 mA under the effects of positive surface charge, as described in earlier work (Ref.6). There are 6 figures and 7 references: 5 Soviet and 2 non-Soviet.

ASSOCIATION: Vsesoyuznyy elektrotekhnicheskiy institut imeni V. I. Lenina (All-Union Electrotechnical Institute imeni V. I. Lenin)

SUBMITTED: December 21, 1959

Card 3/4

S/109/60/005/008/001/024
E140/E555

β-Electron Emission in Vacuum and its Applications

Fig.2



Рис. 2. Схема ядерного источника высокого напряжения:

1 — эмиттер β-электронов; 2 — медный цилиндр; 3 — коллектор; 4 — стеклянный цилиндр с ионной; 5 — металлический корпус; 6 — вывод положительного электрода

Fig.4



Card 4/4

SIMCHENKO, Yuriy Borisovich

[Devices of the Siberian peoples of the 17th century]
Tamgi narodov Sibiri XVII veka. Moskva, Nauka, 1965.
225 p. (MIRA 18:8)

[illegible], [illegible].

"Osnovnye cherty kul'tury okhotnikov na likogo olenya severnoy Evrazii."

report submitted for 7th Intl Cong, Anthropological & Ethnological Sciences, Moscow, 3-10 Aug 64.

SIMDYANKIN, A. P., slesar' po remontu gidromekhanicheskikh reduktorov

Repair of a hydromechanical reducer. Elek. i tepl. tiaga 6 no.9:19 S '62. (MIRA 15:10)

1. Depo Arys' Kazakhskoy dorogi.

(Diesel locomotives—Repairing)

SIMDYANKIN, I.I.; ZEFIROVA, L.G.; MOROZOVA, V.M.

More sugar to the sulfite-alcohol plants. Gidroliz. i lesokhim. prom. 10 no.2:19-20 '57. (MLRA 10:5)

1. Balakhninskiy tsellyulozno-bumazhnyy kombinat.
(Sulfite liquor) (Alcohol)

SIMDYANKIN, I.I.

Measures to reduce the gas content of the air in woodpulp plants. Bum.prom. 34 no.10:22 O '59. (MIRA 13:2)

1. Nachal'nik tsellyuloznogo zavoda Balakhninskogo tsellyulozno-bumazhnogo kombinata.
(Balakhna--Woodpulp industry--Safety measures)

SIMDYANKIN, I.I.; SANNIKOV, V.A.

Setup for the interception of pulp and liquid blown out of the digester. Bum.prom. 35 no.1:21-22 Ja '60. (MIRA 13:6)

1. Nachal'nik tsellyuloznogo zavoda Balakhninskogo kombinata (for Simdyankin). 2. Nachal'nik Teplovoy-elektricheskoy stantsii Balakhninskogo kombinata (for Sannikov).
(Balakhna--Woodpulp industry--Equipment and supplies)

SIMDYANKIN, I. I.

Purification of hard unbleached pulp. Bum.prom. 35 no.10:18-19 O '60. (MIRA 13:10)

1. Nachal'nik tsellyuloznogo zavoda Balakhninskogo kombinata.
(Balakhna--Woodpulp)

SIMDYANKIN, I.I.

How we surmounted the difficulties in the introduction of the machine No.2. Bum.prom. 37 no.8:10-11 Ag '62. (MIRA 17:2)

1. Glavnyy tekhnolog Balakhninskogo kombinata.

SIMECEK, Cyril Dr

Simultaneous bronchospirometry with a double sound. Rozhl.chir. 34 no.9:533-535 Nov 55.

1. Z tbc oddeleni KUNZ v Olomouci, prednosta prim. Dr Vl.Riha
(RESPIRATION, function tests,
bronchospirometry with double sound (Cz))
(BRONCHOSCOPY,
bronchospirometry with double sound (Cz))

CZECHOSLOVAKIA Sec II Vol 11/11 C. A. L. Nov 56

2053. TRANSBRONCHIAL AND TRANSTRACHEAL DIAGNOSTIC PUNCTURES - Perbronchiální a pertracheální diagnostické punkce - Šimeček C. Před. Odd. Státní Fak. Nemocnice, Olomouc - ACTA UNIV. PALACK. OLOMUC. ENSIS 1956, 11 (199-204) Graphs 1 Tables 3 Illus. 1

Transtracheal and transbronchial punctures represent a widening of the diagnostic means. The following are concerned: puncture of the large vessels and the left atrium, puncture of the gap between trachea and oesophagus and finally puncture of pathological masses situated in the peritracheal and peribronchial regions. Puncture of the large vessels and the left atrium enables to obtain blood samples and a continuous pressure recording, puncture of the gap between trachea and oesophagus allows the safe insufflation of air into the mediastinum which is a simple method of creating a diagnostic pneumo-mediastinum. Puncture aspiration and cytological examination is valuable, particularly in lesions of obscure origin affecting the peribronchium and lymph nodes. The simplicity of the procedure for the expert bronchoscopist should allow transtracheal and transbronchial punctures to be widely used as a diagnostic method. (XV, 6, 11)

EXCERPTA MEDICA Sec. 6 Vol. 11/8 Aug. 57

ŠIMEČEK C.

4818. ŠIMEČEK C. Tuberk. Odd. KÚNZ, Olomouc. Cytologická diagnostika zhoubných plicních nádorů. The importance of cytology in the diagnosis of pulmonary malignancy ROZHL. TUBERK. 1956, 16/7 (355-360) Tables 1 Illus. 14

An analysis of the results obtained in 1955 from 50 cases of malignant pulmonary disease, leads the author to the opinion that it is possible to judge with sufficient precision, from a majority of cytological findings, the likely histological structure of the tumour. Histological examination was performed later in 27 cases. In 24 of these, the histological structure was diagnosed correctly from the cytological picture (89%).

Blumberg - Jevičko (XV, 5, 6, 16)

1719. **Primitive pulmonary adenocarcinoma (pulmonary adenocarcinoma of alveolar type)** Adénocarcinome pulmonaire primitif (adénocarcinome pulmonaire de type alvéolaire). SMELCEK C., KREJCI J. and SMELKOVA B. *Poumon* 1958, 17/4 (351–368, Tables 1 Illus. 12).

An analysis is made of 11 cases of primary pulmonary adenocarcinoma. Stress is laid on the prolonged clinical latency, on the diagnostic value of the radiological examinations and especially on that of the cytological studies. Attention is drawn to the close relationship between the development of this adenocarcinoma and the existence of previous, mainly cicatricial pulmonary alterations. From the point of view of the histogenesis, it is considered that there exist all forms of transition between alveolar and bronchiolar adenocarcinoma, and that, contrary to the classical opinions, the point of departure is unicentral. The mucus formation is variable, in accordance with the maturity of the tumour. References 91. Gernez-Rieux – Lille

SHIMECHEK, [illegible]. [Šimeček, C.]

Anomalous bronchus of the right lung. Probl.tub. no.4:95-96 '61. (MIRA 14:12)

1. Iz tuberkuleznogo otdeleniya fakul'tetskoy bol'nitsy v g. Olomouts Chekhoslovakiya (zav. klinikoy Vl. Rzhiga).
(BRONCHI—ABNORMALITIES AND DEFORMITIES)

SIMEČEK, C.; BOREK, Z.
SURNAME, Given Names

Country: Czechoslovakia

Academic Degrees: Dr /presumably MD/

Affiliation: /not given/

Source: Prague, Vnitrni Lekarstvi, Vol VII, No 5, 1961. page 592.

Data: "Diagnostic Pneumomediastinum." (Diagnosticke penumopendiastinum). Prague, State Publishing House of Medical Literature (Statni zdravotnicke nakladatelstvi), 1960. 164 pages, 106 illus.

GPO 981643

SIMECEK, Cyril

Simplified evaluation of spirographic records. Cas.lek.cesk 100 no.47:1490-1494 24 N '61.

1. Tbc oddeleni fakultni nemocnice v Olomouci, prednosta prim. MUDr. Vl. Riha.

(SPIROMETRY)

SIMECEK, Cyril; WAGNER, Karel; HAMPEL, Frantisek

Bronchospirometric values of kyphoscoliosis. Acta chir. orthop. trauma. cech. 29 no.3:256-259 Je '62.

1. Ortopedicka klinika fakultni neomcnice v Olomouci, prednosta prof. dr. A. Pavlik Tuberkulozni oddeleni fakultni nemocnice v Olomouci, prednosta dr. V. Riha.
(KYPHOSIS physiol) (SCOLIOSIS physiol)
(SPIROMETRY)

[illegible], [illegible], [illegible], Cyril

Passive sensitization of the tuberculin [illegible] in pulmonary tuberculosis and sarcoidosis. Med. dosw. mikrobiol. 16 no.1:[illegible] '64.

1. Z Zakładu Mikrobiologii Lekarskiej (Kierownik: doc. dr F. Mazelek) i z Kliniki Gruźliczej (Kierownik: doc. dr V. Bihal) Wydziału Lekarskiego Uniwersytetu im. Palackiego w Ołomuncu.

SIMECEK, Cyril, dr.

Cytological picture of carcinomas and adenomas of the bronchi in fluorescence microscopy. Vnitrni lek. 11 no.6:566-569 Je'65.

1. Klinika tuberkulozy Palackeho university v Olomouci (prednosta: doc. Dr. V. Riha).

SIMECEK, C.

Indications for lymph node puncture of the bifurcation during bronchoscopic examination. Cesk. otolaryng. 14 no.5:291-295 O '65.

1. Tuberkulozni oddeleni fakultni nemocnice v Olomouci (vedouci MUDr. V. Riha).

[illegible], [illegible]

[illegible] of multisplitting [illegible] in [illegible] explosives. [illegible]
vyr. 13 no. 2, 119 [illegible] ref.

1. Motor National [illegible] Moskva Radiovoye.

OVECKA, Ernest, inz.; SIMECEK, Ivo, inz.

Economic results and experiences in using the OMKT Soviet shield supports. Uhli 7 no.1:17-20 '65.

1. Jihomoravske lignitove doly, Hodonin.

SIMECEK, J.

"Centrifugal feed apparatus for steam boilers." p. 293. (Energetika. Vol. 3, no. 9, Sept. 1953. Praha.)

SO: Monthly List of East European Accessions, Vol. 3, no. 6, Library of Congress. June 1954. Uncl.

SIMECEK, J.

[redacted], Ye.

Cryostat for intermediate temperatures. Prib. i tekh.eksp. 6 no.4:173-174 Jl-Ag '61. (MIRA 14:9)

1. Institut fiziki Pol'skoy Akademii nauk.
(Cryostat)

ŠIMEČEK, I.

I Preparation of pure pentaerythritol. I. Šimeček. *Chem. Listy* 47, 1673-4(1953).—*Pentaerythritol* ~~(I) is prepared~~ by the hydrolysis of its dibenzal deriv. (II) prepd. by treating 136 g. I in 1800 ml. H_2O with 300 ml. 37% HCl and 212 g. BzH in 1800 ml. EtOH. The yield is 272 g. (87%) II, m. 164.6° (from Me_2CO). Hydrolysis of II with 1% HCl gave 90.3% pure I, m. 268-9°. BzH was recovered in 99% yield. M. Hudlický

SIMECEK, J.

"Determination of organic nitrates by titration with ferrous sulfate."

p. 285 (Chemicky Prumysl) Vol. 7, no. 6, June 1957
Prague, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4, April 1958

CZECHOSLOVAKIA/Physical Chemistry. Kinetics. Combustion. Explosions. Topochemistry. Catalysis.

Abs Jour: Ref Zhur-Khim., No 13, 1958, 42585.

Author : Sinacek Jaroslr.
Inst :
Title : Decomposition of Nitrosamines and Nitramines in Protogenic Solvents. I. Decomposition of Cyclotrimethylene-Trinitrosamine with Concentrated Sulfuric Acid.

Orig Pub: Chem. listy, 1957, 51, No 7, 1323-1326.

Abstract: By action of mineral acids cyclomethylene-trinitrosamine (I) is decomposed at ordinary temperature to CH_3OH and N_2. On dissolution of I in 96.7% H_2SO_4 there takes place at temperatures from - 30 to -10° an ionization of I to NO^+ and salt of

17

Card : 1/2

G

CZECHOSLOVAKIA/Organic Chemistry. General and Theoretical Problems of Organic Chemistry.

Abs Jour: Ref Zhur-Khim., No 23, 1958, 77480.

Author : Simecek, Jaromir.
Inst :
Title : Decomposition of Nitrosamines and Nitramines in Protogenic Solvents. II. Decomposition of Cyclo-trimethylenetrinitramine with Concentrated Sulfuric Acid.

Orig Pub: Chem. listy, 1957, 51, No 9, 1699-1703; Collect. czechosl. Chem. Commun., 1958, 23, No 5, 962-967.

Abstract: It was confirmed that a part of nitro groups of cyclo-trimethylenetrinitramine (I) splits off in the form of nitron ions NO_2^+ under the action of concentrated H_2SO_4 (see Vernazza E., Atti

Card : 1/3

CZECHOSLOVAKIA/Organic Chemistry. General and Theoretical Problems of Organic Chemistry. G

Abs Jour: Ref Zhur-Khim., No 23, 1958, 77480.

accad. sci. Torino, 1935, 70, 404). The degree of ionization in 90 to 100%-ual H_2SO_4 is proportional to the concentration of I. The ionization of nitro groups of I is a reversible reaction, which has been confirmed by the formation of I under the action of 97.5%-ual H_2SO_4 (4 ml) on 2.4 g of N,N'-dinitrocyclotrimethylenetriamine nitrate (II) at 0 to 20° (yield 0.46 g), or under the action of the mixture of 97.5%-ual H_2SO_4 (7 ml) and 97.2%-ual HNO_3 (3 ml) on II at a temperature between -20 and +20° (yield 98%). II is formed in turn in the solution of I (2.2 g) in H_2SO_4 (10 ml) at 0 to 20°, which has been confirmed by the separation of II in the form of N,N'-dinitro-n"-nitrosocyclotrimethylenetriamine, yield 76%, under

Card : 2/3

CZECHOSLOVAKIA/Organic Chemistry. General and Theoretical Problems of Organic Chemistry. G

Abs Jour: Ref Zhur-Khim., No 23, 1958, 77480.

the action of aqueous $NaNO_3$ solution (3 g) and Na_2SO_4 (5 g), melting point 165° (dissociates, from alcohol). The reaction is reversible only in the presence of unimpaired hetero-cycles of cyclotrimethylenetrianine, which decomposes completely in H_2SO_4 in 2 hours' time. The decomposition kinetics was taken at 20, 30 and 40°. All the unbroken bonds $=NNO_2$ decompose with the formation of N_2O. The summary equation of the decomposition is the following: $C_3H_6N_6O_6 + 2nH^+ = 3CH_2O + (3 - n)N_2O + nNO_2^- + nNH_4^+$, where n depends on the concentration of H_2SO_4 and the relations of I to H_2SO_4. See RZhKhim, 1958, 42585 for report I. - J. Kucera.

Card : 3/3

G-2

CZECHOSLOVAKIA / Organic Chemistry--Synthetic Organic Chemistry

Abs Jour: Ref Zhur-Khimiya, No 8, 1959, 27498

Author : Simecek, J.
Inst : Not given
Title : The Decomposition of Nitrosoamines and Nitramines in the Protogennic [Original?] Solvents. III. Preparation of N,N'-dinitro-N''-Nitrosocyclotrimethylenetriamine

Orig Pub: Chem Listy, 51, No 12, 2367-2368 (1958) (in Czech)

Abstract: Continuing work reported earlier (for Communication II see RZhKhim, 1958, 77480), the author has synthesized N,N'-dinitro-N''-nitrosocyclotrimethylenetriamine (II) by the partial nitration of cyclotrimethylenetrinitrosoamine (I).

Card 1/2

CZECHOSLOVAKIA / Organic Chemistry--Synthetic Organic Chemistry G-2

Abs Jour: Ref Zhur-Khimiya, No 8, 1959, 27498

Abstract: 0.1 mol I is added at -25° to a mixture of 0.9 mol NH_4NO_3 and 1.8 mol 97.5% H_2SO_4; after 15 min (-15 [sic]) the mixture is allowed to warm up to 0° after which it is poured over ice (500 gms); II is obtained, yield 0.09-0.095 mol, mp 176° (decomp; from alc-CH_3NO_2). II is converted to cyclotrimethylenetrinitroamine. -- J. Kucera

Card 2/2

SIMECEK, Jaroslav; OPPL, Ladislav; KOCA, Ladislav

Contribution to the standardization of the method for assessing dust. Prac. lek. 16 no.5:217-220 Jl '64.

1. Ustav hygieny prace a chorob z povolani v Praze (reditel prof. dr. J. Teisinger, DrSc.).

[illegible], J.

[illegible] "III. Synthesis [illegible] 10.

[illegible] Pacific J, Math., [illegible]

[illegible] Dept of [illegible] Accessions (E [illegible], [illegible], Vol. [illegible], No. [illegible], Sept. 59 [illegible]

L 12845-66

ACC NR: AP6005713 SOURCE CODE: CZ/0082/65/000/003/0224/0227

AUTHOR: Simek, J.

ORG: Neurological Department, Thomayer Hospital, Prague - Krc (Neurologicke oddeleni Thomayerovy nemocnice)

14
B

TITLE: Dysbasia cyphotica progressiva

SOURCE: Ceskoslovenska neurologie, no. 3, 1965, 224-227

TOPIC TAGS: clinical medicine, neurology, nervous system disease

ABSTRACT: Progressive atypical extrapyramidal syndrome manifested by an increasing kyphosis of the trunk when walking in a 61 year old woman is described. Clinical picture was reminiscent of torsion spasm, or of dysbasia lordotica progressiva. The patient reacted well to Disipal, a drug acting on the extrapyramidal system. Degenerative lesion is considered a probable cause. Orig. art. has: 4 figures. [JPRS]

SUB CODE: 06 / SUBM DATE: none / ORIG REF: 001 / OTH REF: 013

Card 1/1 HW

MAIER, J.; MATYGIN, J.; JIRAK, J.; SMAHA, O.; JAKLIY, O.; HAVEL, V.

The influence of the work day on the higher nervous activity of man in the framework of complex physiological analysis. (Summary of the final report). Activ. nerv. sup. (Praha) 7 no.1:65-66 '65.

L 13309-66

ACC NR: AP6006012 SOURCE CODE: CZ/0053/65/014/004/0277/0277

AUTHOR: Hradsky, M.; Priborsky, V.; Herout, V.; Simek, J.; Kozak, J.

ORG: First Clinic of Internal Medicine, Faculty Hospital, Hradec Kralove (I. interni klinika fakultni nemocnice); Institute of Pathological Anatomy, Faculty Hospital, Hradec Kralove (Patologicko-anatomicky ustav fakultni nemocnice); Surgical Clinic, Faculty Hospital, Hradec Kralove (Chirurgicka klinika fakultni nemocnice)

TITLE: Effect of gastric cooling on changes in the gastric mucosa [This paper was presented during Biophysical Days, Brno, 12 Jun 64.]

SOURCE: Ceskoslovenska fysiologie, v. 14, no. 4, 1965, 277

TOPIC TAGS: dog, digestive system, animal physiology, cooling

ABSTRACT: Description of method, apparatus and recording procedure for study of the effects of gastric cooling in dogs. In the 3 dogs so far studied by gastric freezing for up to 60 minutes, comprehensively observed as to gastric mucosal condition before as well as one month after cooling, no adverse morphological changes were found by histological examination. [JPRS]

SUB CODE: 06 / SUBM DATE: none / OTH REF: 002

Card 1/1

SIMEK, J.; MELKA, J.; POSPISIL, M.; NERADILKOVA, M.

Effect of protracted glucose infusion on the development of early biochemical changes and initiation of regeneration in rat liver after partial hepatectomy. Physiol. Bohemoslov. 14 no.4:366-370 '65.

1. Department of Physiology and Department of Anatomy, Faculty of Medicine, Charles University, Hradec Kralove. Submitted May 25, 1964.

CZECHOSLOVAKIA UDC 616.715(541.182.31541.18.05)-073.582.2

SIMECEK, Jaroslav; Institute of Work Hygiene and Occupational Diseases (Ustav Hygieny Prace a Chorob z Povolani), Prague, Director (Reditel) Prof Dr J. TEISINGER.

"Determination of the Particle-Size Distribution by Light Microscopy."

Prague, Pracovni Lekarstvi, Vol 18, No 9, Nov 66, pp 401 - 405

Abstract /Author's English summary modified/: The influence of microscope enlargement, method of measurement, and of the number of particles counted on the results in the determination of the size distribution is described. To obtain comparable and reproducible results, the particle size should be determined by a projecting microscope by the method of graticular circles, a minimum of 500 particles should be counted, the maximum enlargement should be 650 times for the eye lens/objective lens magnification ratio. Particle distribution should be interpreted by means of cumulative frequency curves. 3 Figures, 3 Tables, 2 Czech references. (Manuscript received 27 Sep 65).

1/1

IVASHEV, V.V., inzh.; ~~SHIMUNEK, Ya.~~ [Simunek, J.]

Evaluation of methods for dust control during the boring of upraises in soft rock. Bor'ba s sil. 6:180-183 '64 (MIRA 18:2)

1. Institut gigiyeny truda i professional'nykh zabolevaniy AMN SSSR i Institut gigiyeny truda i professional'nykh zabolevaniy, Praga, Chekhoslovakiya.

SIMEK, Jaromir, inz.

A trimmer with a variable temperature coefficient of capacity.
Sdel tech 10 no.9:339-340 S '62.

SIMECEK, Jaroslav, Ing.

Determination of climatic conditions in mines. Pracovni lek. 7 no.3:168-171 May 55.

1. Ustav hygieny prace a chorob z povolani, Praha.
(CLIMATE
in mines, method of determ.)
(MINING
climatic cond., determ.)

SIMECEK, Jaroslav, Ing.

Separate ventilation in mines. Pracovni lek. 7 no.1:34-37 Feb 55.

1. Ustav hygieny prace a chorob z povolani v Praze.
(VENTILATION
in mines, evaluation of methods)
(INDUSTRIAL HYGIENE
ventilation in mines, evaluation of methods)
(MINING
ventilation methods, evaluation)

Simecek, J.

50. COMPRESSED AIR EJECTORS IN MINES. Simecek, J. (Uhli (Coal, Prague), Jan. 1956, vol. 6, 15-17). The article describes the use of compressed air ejectors in the mines for independent ventilation of the stopes; for mine air sampling when determining conditions of dustiness and for sucking off drill cuttings during dustless drilling operations. The author outlines the advantages and disadvantages of the apparatus used, suggests principles of designing air ejectors and gives instruction on how to make them more economical. The proper use of the ejector is greatly hampered by the lack of theoretical data on the subject; Professor G.N. Abramovich's so-called Theory of Heated Streams has led to some important conclusions which the author analyses as regards their application to air ejectors. The mathematical formulae quoted in this paper concerns i.a. the loss of kinetic energy according to the different speeds of the mixing (air) streams; the maximum theoretical efficiency of a simple ejector and the decisive effect of the turbulence of the air stream. N.C.B.

[illegible], J.

The i -x diagram of moist air for varying pressure.

P. 249. (STROJNICKY VI) (Praha, Czechoslovakia) Vol. 7, no. 12, Dec. 1957

SO: Monthly Index of East European Accession (EEAI) LC Vol. 7, No. 5, 1958

[illegible], J.

Determining dust concentration by membrane filters.

P. 343. (UnLi.) (Praha, Czechoslovakia) Vol. 7, No. 10, Oct. 1957

SO: Monthly Index of East European Accession (EEAI) LC. Vol. 7, No. 5, 1958

SIMECEK, J.

Precipitation of dust from water and solutions. p. 22.

ZDRAVOTNI TECHNIKA A VZDUCHOTECHNIKA. (Ceskoslovenska akademie ved. Ceskoslovenska vedecka technicka spolecnost pro zdravotni techniku a vzduchotechniku) Praha, Czechoslovakia. Vol. 1, no. 1, 1958.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, no. 7, July 1959. Uncl.

SIMECEK, J.

"Silicosis in mining." P. 375.

RUDY. (Ministerstvo hutniho prumyslu a rudnych dolu). Praha, Czechoslovakia, Vol. 6, No. 11, Nov. 1958.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 8, August 1959.
Uncla.

SIMECEK, J.

[illegible]

15

SIMECEK, J.

Measurement of dustiness of air in mines. p. 231

UHLI (Ministerstvo paliv) Praha, Czechoslovakia. Vol. 1, no. 7, July 1959

Monthly list of East European Accessions (EEAI), Vol. 9, no. 1, Jan. 1960

Uncl.

OPPL, L.; SIMECEK, J.; KUBALEK, J.

Some most frequent errors in the measurement of dust. Pracovni. lek. 12 no.3:120-125 Ap '60.
(DUST)

SIMECEK, Jaroslav; OPPL, Ladislav

Quantitative determination of dust by means of a membrane filter. Pracovni. lek. 12 no.3:139-144 Ap '60.

1. Ustav hygieny prace a chorob z povolani, reditel prof. dr. J. Teisinger.
(DUST)

SIMECEK, Jaroslav

Determination of dust dispersion properties for hygienic purposes. Pracovni lek. 13 no.3:139-146 Ap '61.

1. Ustav hygieny prace a chorob z povolani, Praha, reditel prof. MUDr. J. Teisinger.

(DUST)

KUBIS, T.; STEPANEK, J.; SIMECEK, J.

Measurement of dust in harvesters of the combine and other types. Pracovni lek. 13 no.7:329-332 S '61.

1. Okresna hygienicko-epidemiologicka stanica, Nitra, riad. MUDr. J. Stepanek, Ustav hygieny prace a chorob z povolani, Praha, reditel prof. dr. J. Teisinger.

(AGRICULTURE) (DUST)

SIMECEK, J.

Determining the hazard of a dusty environment. Pracovni lek. 14 no.4:194-199 My '62.

1. Ustav hygieny prace a chorob z povolani, Praha, reditel prof. MUDr. J.Teisinger, DrSc.
(PNEUMOCONIOSES) (DUST)

SIMECEK, Jaroslav, inz.; KUBALEK, Jiri, dr.

Packings filled with water are efficient means against the dust in mines. Uhli 4 no.1:7-10 Ja '62.

1. Ustav hygieny prace a chorob z povolani, Praha (for Simecek).
2. Hornicky ustav, Ceskoslovenska akademie ved, Praha (for Kubalek).

CZECHOSLOVAKIA

J. SMRCEK and J. KUSELEK, Institute of Work Hygiene and Occupational Diseases (Ustav hygieny prace a chorob z povolani), Chief (reditel) Prof Dr J. TEISINGER, Prague.

"Comparison of Gravimetric Methods for Dust Concentration in Air."

Prague, Pracovni Lekarstvi, Vol 14, No 10, Dec 1962; pp 464-468.

Abstract [English summary modified]: Based on "large" number of tests in identical sites with membrane filters, Soxhlet extraction cartridges and Soxhlet dust particle meter, authors conclude that all 3 methods are equally reliable. In field, coal and stone dust were measured. Membrane filters and Soxhlet cartridges are officially adopted. Photograph of triple-recording device used in tests, 5 graphs, 5 Czech references.

1/1

[illegible], J.

Recurrent disseminating encephalitis or a new cerebellovestibular syndrome in young girls. Cesk. neurol. 25 no.6:334-40 N '62.

1. Neurologicke odderani Thom. Perovy nemocnice v Praze, predneste[illegible] [illegible] Dr. J. Simek, DSc.
(ENCEPHALITIS) (CEREBELLAR DISEASES)
(VESTIBULAR APPARATUS)

SPUCEK, J.

Organic nitrates. Part 1 : Production and properties of the pentaerythritenitrates. Coll Cz Chem 27 no.2:362-371 F '62.

1. Militaraademie "A. Zapotocky", Brno.

SIMICEK, Jaroslav, inz.

Protection against mine dust in the Soviet Union. Uhli 5 no.4:139-140 Ap '63.

1. Ustav hygieny prace a chorob z povolani, Praha.

[illegible]

[illegible], [illegible], Kand. Candidate of Sciences; [illegible], [illegible], Dr. of Medical Sciences (Institute of Work Hygiene and Occupational Diseases, [illegible]; Mining Institute of the Czechoslovak Academy of Sciences, [illegible] (Work hygiene [illegible]; [illegible]; [illegible])

"[illegible] to a Uniform Method for Determining Aerosol Contaminants."

[illegible] Chemika a Radiotechnika, Vol 5, No 1 1963, [illegible]

[illegible] Southern Moylian summaries: The paper discusses the [illegible] of using standard methods for aerosol contaminants determination. Individual methods for dust sampling and [illegible] of samples are described on basis of research [illegible] of the author's proposition for a uniform method for determination of aerosol contaminants.

[illegible] references

SIMECEK, J.

Assessment of dust in working areas in the USSR. Cesk. hyg. 8 no.5:308-312 Je '63.

1. Ustav hygieny prace a chorob z povolani, Praha.
(DUST) (INDUSTRIAL MEDICINE)

SIMECEK, J.; TKACOV, V.V. [Tkachov, V.V.]

Evaluation of various rock drilling methods from the viewpoint of hygiene. Rudy 11 no.7:213-216 Jl '63.

1. Ustav hygieny prace a chorob z povolani v Praze a Moskve.

HRICH-OHES, MUDR. (Kladno); KUBALEK, J., [illegible]; SIMECEK, J., inz.

Experience in salt stemming in blasting operations. Rudy 11 no.11: 369-372 N'63.

1. Hornicky ustav, Ceskoslovenska akademie ved, Praha (for Kubalek) 2. Ustav hygieny prace a chorob z povolani, Praha (for Simecek).

SIMECEK, J.

Dust control in the U.S.S.R. Prac.lek. 15 no.8:360-362 O'63.

*

SIMECEK, Jaroslav; VONDRACEK, Vladimir

Membrane filters manufactured by Synthesia. Munkavedelem 7 no.1/3: 43-44 '61.

1. Pragai Munkaegeszsegugyi es Foglalkozasi Betegsegeket Kutato Intezet es a pragai Kozegeszsegugyi es Jarvanyugyi Allomas.

PACHNER, Petr, doc. MDr., Praha 10, Srobarova 48; SIMECEK, Jaroslav

Methods for the measurement of dust and evaluation of hazards due to dust in Czechoslovakia. Prac. lek. 17 no.7:299-303 S '65.

1. Ustav hygieny prace a chorob z povolani v Praze (reditel prof. dr. J. Teisinger, DrSc.). Submitted May 10, 1965.

CZECHOSLOVAKIA UDC 614.715([illegible].162.3)-073 5.81

SIMECEK, Jaroslav; TUMA, Jiri; Institute for Hygiene of Work and Occupational Diseases (Ustav Hygieny Prace a Chorob Z Povolani), Prague, Director (Reditel Prof Dr J. TEISINGER. Research Institute for Air Technology (Vyzkymny Ustav Vzduchotechniky), Prague.

"Determination of Dust Dispersion."

Prague, Pracovni Lekarstvi, Vol 18, No 3, Apr 66, pp 116 - 120

Abstract: The authors studied standard conditions for optical microscopy to find the accuracy and reproducibility of dust dispersion determination, and find a suitable gravimetric method for quantitative dust determination. The behavior of aerosols can be determined on the basis of the geometrical shape of the particles, from hydrodynamic properties of the particles, from their optical properties. The methods of expressing the dispersity of dust are described. The expression of the dispersity is discussed. The connections between the number of particles and their weight are discussed. 1 Figure, 1 Table, 6 Western, 4 Czech, 2 Russian references. (Manuscript received 27 Apr 65).

1/1

65978

24.7100

Z/037/60/000/02/011/018
E024/E320

AUTHOR: Šimeček, Tomislav

TITLE: Twinning in Crystals of CdTe

PERIODICAL: Československý časopis pro fysiku, 1960, Nr 2, pp 180 - 181

ABSTRACT: Te (containing less than 10^{-3}% Ca, Cu and Ge) and Cd (containing 5.8 x 10^{-3}% Pb, 10^{-3}% Zn and traces of Cu and Ag), mixed in stoichiometric proportions, were heated to 500 °C in an evacuated quartz ampoule. After the reaction had occurred, the CdTe was melted and mixed at 1 060 °C. Crystals were then grown in the same ampoule by gradual vertical cooling, the dimensions of the sample being determined by the ampoule, i.e. 11 mm dia and 50-70 mm length. A detailed description of the apparatus is given in Ref 1.
The samples were cleaved at -180 °C and at room temperature; good cleavage faces were produced in both cases. Judging by the number of faces of differing orientation, the sample contained between 5 and 10 monocrystals. A transverse cut was polished and then etched with Gillman's etchant

Card1/3

65978

Z/037/60/000/02/011/018
E024/E320

Twinning in Crystals of CdTe

(320 g CrO_3, 40 g Na_2SO_4 in 1 litre of water); the result is shown in Figure 1. The curved boundaries revealed by the etching were usually joined by definite cleavage faces. Those parts of the sample containing systems of straight boundaries showed common cleavage faces. The straight boundaries formed bands with periodic orientations (Figure 1).

From the Debye-Scherrer powder photographs, it was found that the crystals were face-centred-cubic with a lattice constant of 6.41 A. No other structure was found.

Twinning along the (111) plane is well known in the f.c.c. structure (see Ref 2). Such twins have some common planes which may be common cleavage faces. For the case shown in Figure 2, this is obviously a $(1\bar{1}0)$ face. $(\bar{1}01)$ and (011) can also be shown to be common planes. The angle of misorientation of these twins 70°31'46". It is the angle between corresponding directions parallel to the $(1\bar{1}0)$ plane in both parts of the twin. A Laue back-reflection photograph has shown that such twins occur in the present case. The Laue diagrams of the two halves of

Card2/3

65978
Z/037/60/000/02/011/018
E024/E320

Twinning in Crystals of CdTe

the twin can be made to coincide by rotating them by $70^{\circ}30'$. The cleavage faces of the crystal form angles of 60 or 90°, which lends further support to the assumption that they are {110} planes. With the aid of a probe it was found that no discontinuity in potential occurs on the twin boundaries when a current is passed through the crystal. This is in agreement with Ref 4.
There are 2 figures and 4 references, of which 1 is Czech and 3 are English.

ASSOCIATION: Katedra fysiky pevných látek KU, Praha
(Chair of Solid-state Physics, Charles University, Prague)

SUBMITTED: August 25, 1959

Card 3/3

HUML, Karel; SIMECEK, Tomislav

Laboratory tube furnaces for temperatures up to 1,300°C.
Cs cas fys 14 no. 1:46-68 '64.

1. Katedra fyziky pevnych latek, Matematicko-fyzikalni fakulta Karlovy university, Praha (for Simecek).
2. UMCH, Ceskoslovenska akademie ved, Praha (for Huml).

SIMEK, Tomislav (Praha)

Newest type of Czechoslovak lasers. Tech. praca 16 no. 1: 11-14 Ja '64.

SIMECEK, Vaclav.

Clamping and feeding of bars in multispindle automatic lathes. Stroj vyr 11 no.11:574-575 N'63.

1. Zavody presneho strojirenstvi, n.p., Gottwaldov.

SIMECEK, Z.

Reducing overhead costs of tractor operation, an important factor in raising the standard of living. p. 457.

MECHANISACE ZEMEDELSTVI. Praha. Vol. 4, no. 24, Dec. 1954.

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, no. 3, March 1956

SIMECEK, Z.

Simecek, Z. New wage and bonus system. p. 121. Employees of the Galanta Machine-Tractor Station accept commitments in order to surpass the Plan. p. 122. MECHANISACE ZEMEDELSTVI. Praha. Vol. 5, no. 7, Apr. 1955.

SO: Monthly List of the East European Accession, (EEAL), LC. Vol. 4, no. 10, Oct. 1955. Uncl.

SIMECEK, Z.

"How the Bohatice Machine-Tractor Station fights for reduction of costs in the operation of tractors."

MECHANISACE ZEMEDELSTVI, Praha, Czechoslovakia, Vol. 5, No. 18, September 1955.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 9, September 1959.

Unclassified.

SIMECEK, Z.

"The Sibice Machine-Tractor station pays on time the bonuses for fulfilling and exceeding the yields per hectare on the collective farms."

MECHANIZACE ZEMEDELSTVI, Praha, Czechoslovakia, Vol. 5, No. 23, December 1955.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 9, September 1959.

Unclassified.

SIMECEK, Z.

AGRICULTURE

Periodical MECHANISACE ZEMEDELSTVI. Vol. 5, no. 24, Dec. 1955.

SIMECEK, Z. Improved training of the workers will help in in the introduction of new methods. p. 464.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, no. 3, March, 1959. Uncl.

SINECEK, Z.

SINECEK, Z. Some problems of the use of machinery and the reduction of overhead cost. p. 62.

Vol. 6, no. 4, Feb. 1956
MACHANISACE ZEMEDELSTVI
AGRICULTURE
Czechoslovakia

So: East European Accession, Vol. 6, No. 5, May 1957

[illegible], A.

Mechanisms and machines in mines. p. 183.
[illegible], Prahe., Vol. 3, no. 6, June 1955.

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, no. 10, Oct. 1955, Uncl.

APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001550620012-9"

EXCERPTA MEDICA Sec. 6 Vol. 11/8 Aug. 57

ŠIMEČKOVÁ L.

4852. SIMEČKOVÁ L. and RUNŠTUKOVÁ J. Úst. Lék. Chem. Lék. Fak. MU, Brno; II. Vnit. Klin. Lék. Fak. MU, Brno. Použití iontexu při vyšetřování žaludečních šťáv v praxi. The use of an ion exchange resin in tubeless gastric analysis VNITŘ. LÉK. 1955, 1/12 (900-903) Graphs 3 Tables 3

The method of Pelikán and Placer (Čas. Lék. Čes. 1953, 46) using a basic ion exchange [illegible] was tested in 80 [illegible] and compared with the usual method of [illegible] analysis by aspiration [illegible] tubeless analysis was [illegible] satisfactory [illegible] and hyperacidity, but it was not reliable in hypacidity. [illegible]

KREJCAR, Milos; SIMECKOVA, Ljuba; POKORNY, Jiri

Thiobarbiturate level in the blood stream during labor. Cas. lek. cesk. 98 no.27:848-851 3 July 59.

1. III. gynekologicko-porodnicke oddeleni v Brne, prednosta doc. dr. Cernoch. Ustav pro lekarskou chemii lekarske fakulty v Brne, prednosta prof. dr. O. Wagner. M.K., Brno, III. gyn. por. odd.

(LABOR, anesth. & analgesia
barbiturates, blood level during labor (Cz))
(BARBITURATES, in blood
during anesth. in labor (Cz))

URBASEK, Jan; SIMECKOVA, Libuse

Acute polychondritis. Cas.lek.cesk 100 no.21:639-643 26 My '61.

1. MUNZ-Ostrava I, interni oddeleni I, prednosta MUDr. J. Urbasek.

(CARTILAGE dis)

MIKULECKY, Z;NOVAKOVA, J;SIMECKOVA, V.

Neutralization of skin sensitivity to the origin of occupational dermatoses. Lek. listy Brno 7 no.7:182-186 1 Apr. 1952, (CIML 22:2)

1. Of the Dermatological Department (Head--Zdenek Mikulecky, M. D.) of Kolin State District Hospital.

MIKULECKY, Z., MUDr; JENIKOVA-NOVAKOVA, J., MUDr; SIMECKOVA, V., MUDr; OBERTHOR, J., MUDr

Occupational dermatitis in workers of fur industry. Prakt. lek., Praha 35 no.2:31-33 20 Jan 55

1. Z OUNZ v Koline, odd. kozni, prednosta primar MUDr Z.Mikulecky, Z zavodniho zdrav. strediska v n.p. Kara, Stary Kolin

(DERMATITIS, CONTACT
occup. in fur indust.)
(OCCUPATIONAL DISEASES
dermatitis in fur indust.)

NISTOR, Dumitru, ing.; BORSI, Adalbert, ing.; BOLOGAN, V., ing.; MARGINEANU, E., ing. sef; POCOL, Alexandru; SOLOMON, Tr., ing. sef; SIMEDREA, T., ing.; JENEI, D., ing. sef

Problems of increasing labor productivity in the mechanical engineering industry. Probleme econ 16 no.12:149-151 D '63.

1. Director, Uzina Unio--Satu Mare (for Nistor). 2. Sef serv. org. productiei, Uzina Unio--Satu Mare (for Borsi). 3. Director, Uzina Infratirea-Oradea (for Bologan). 4. Uzina Infratirea-Oradea (for Margineanu). 5. Director, Uzina Balanta-Sibiu (for Pocol). 6. Uzina Balanta-Sibiu (for Solomon). 7. Director, I.S.Tehnofrig-Cluj (for Simedrea). 8. I.S.Tehnofrig-Cluj (for Jenei).

SIMEDREA, T., ing.; REGOCZI, V.; BOT, Iosif; POP, Grigore, ing.

Labor productivity at the "Tehnofrig" and "Unirea" Enterprises, Cluj. Probleme econ 17 no.10:147-148 O '64.

1. Director, I.S. "Tehnofrig", Cluj (for Simedrea). 2. Head of the Planning Service, I.S. "Tehnofrig" (for Regoczi). 3. Director, "Unirea" Metallurgic Plant, Cluj (for Bot). 4. Head of the Production Organization Service, "Unirea" Metallurgic Plant, Cluj (for Pop).

12

6

Melting point of pure tellurium. A. Simek and B. Strelik. *Collection Czechoslov. Chem. Communications* 2, 303-14(1930).—Com. Te was purified until spectroscopically pure. Heating curves showed no crit. point from room temp. to m. p. Te m. 452.0° in vacuo. This point is lowered in H and CO_2 by 0.15-0.2°, resp., because of soln. of the gases. Ann Nicholson Hird

METALLURGICAL LITERATURE CLASSIFICATION

PROCESSES AND PROPERTIES INDEX

6

The melting point of tellurium dioxide. A. Sterk and B. Strelin. *Collection Czechoslov. Chem. Comm.* 2, 447-56(1930); cf. *C. A.* 24, 4228. TeO_2 m. 732.6 ± 0.1°. This value was detd. by a special extrapolation from heating curves. TeO_2 crystallizes from the melt; it is uniaxial and pos.; d. = 6.02. V. F. Harrington

METALLURGICAL LITERATURE CLASSIFICATION

Bibliography of scientific communications (of Francis Wald) Art. Sinek
R 11
Collection Czechoslov. Chem. Comm. 3, 8 (1931)

ASM SLA METALLURGICAL LITERATURE CLASSIFICATION